

LED Street Lights

65W Street LED Lamp-10 Meter ES-65WLSt

Power Consumption	65W
Material	Aluminum
IP Rating	IP66
LED Qty	9 pcs
View angle	120 Degree
Luminous Flux	3600 lm
Input Voltage	90-246V
Dimensions	648mm x 340mm x 217mm
Fixture	Die-cast aluminum housing with tempered glass enclosing sealed waterproof layer
Weight	12 kilo



90W Street LED Light -High Power 10 Meter ES-90WLSt

Power Consumption	90W
Material	Aluminum
IP Rating	IP66
LED Qty	9 pcs
View angle	120 Degree
Luminous Flux	5000 lm
Input Voltage	90-246V
Dimensions	648mm x 340mm x 217mm
Fixture	Die-cast aluminum housing with tempered glass enclosing sealed waterproof layer
Weight	12 kilo



Mounting/Installation	On a 55-60mm Diameter Post
Side-entry	Post Diameter 55-60mm
Top-entry	Post Diameter 60-70mm

Solar LED Lights

Solar Curve Panel Lamp 3x60 LED ES-180LSI-05



Power Consumption	40W / 50W
Material	Zinc Coating Steel Plate
LED Qty	180pcs
Luminous Flux	823 lm
Input Voltage	12V
Dimensions	810mm x 580mm x 630mm

Solar Curve Panel Lamp 6x60 6x60 LEDES-360LSI-05

Power Consumption	85W
Material	Zinc Coating Steel Plate
LED Qty	360pcs
Luminous Flux	1690 lm
Input Voltage	12V
Dimensions	1054mm x 567mm x 755mm



Solar Curve Panel Lamp 9x60 LED ES-540LSI-05



Power Consumption	130W
Material	Zinc Coating Steel Plate
LED Qty	540pcs
Luminous Flux	2526 lm
Input Voltage	12V
Dimensions	1579mm x 567mm x 755mm

Solar LED Lights




Solar Multi Arms Panel (3 Arm) ES-540LSI-02

Power Consumption	130W
Material	Zinc Coating Steel Plate
LED Qty	540pcs
Luminous Flux	2000 lm
Input Voltage	12V
Dimensions	1270mm x 300mm x 170mm

Solar Multi Arms Panel (2 Arm) ES-360LSI-02

Power Consumption	85W
Material	Zinc Coating Steel Plate
LED Qty	360pcs
Luminous Flux	1690 lm
Input Voltage	12V
Dimensions	1270mm x 300mm x 170mm

Example Configurations



LED Spot Lights



30W LED Spot Light Box ES-30WLSp 2C

Power Consumption	30W
Material	Aluminum and Stainless
LED Qty	3 pcs
View angle	120 Degree
Luminous Flux	1400 lm
Dimensions	200mm x 160mm x 329mm



60W LED Spot Light Round ES-60WLSp

Power Consumption	60W
Material	Aluminum and Stainless
LED Qty	8 pcs
View angle	120 Degree
Luminous Flux	2000 lm
Input Voltage	100-240V
Dimensions	188mm x 188mm x 360mm



40W LED Down Light ES-40WLDo 4C

Power Consumption	40W
Material	Aluminum
LED Qty	4 pcs
View angle	120 Degree
Luminous Flux	2300 lm
Input Voltage	100-280V
Dimensions	235mm x 171mm
Weight	2200 grams